INDEX TO VOLUME 48, 1991

Note: All conferences, notices and other announcements are under one heading: NOTICES

A

AARLI J A *see* TODNEM K *et al*
Abortions, spontaneous, and paternal exposure to mercury, 375
Abstracts, structures: notice to authors, 361
ACHAERANDIO G O *see* REGO G F *et al*
Acute phase response, presence in coal workers' pneumoconiosis, 193
ADDISON J *see* LANGER A M *et al*
AHLBOM A *see* TÖRNQVIST S *et al*
AHRENGART L *see* ELINDER C-G *et al*
Aircraft maintenance facility, mortality study of workers, I Epidemiological results, 515: II Exposures and their assessment, 531
Airway oedema and obstruction, guinea pigs exposed to inhaled endotoxin, 629
AKESSON B *see* LUNDH T *et al*
STÄHLBOM B *et al*
Algae, marine and freshwater, toxic, occupational hazard: editorial, 505
Alpha-amylase, clinical and immunological responses to occupational exposure, baking industry, 604
Altitude, high, and non-occupational pneumoconiosis, 825
Aluminium
accumulation in aluminium welders, evidence, 735
blood and urine concentrations, flake powder exposure, 106
deposition in tissues after Al_2O_3 dust exposure, 389
exposure, effect on concentrations o essential metals in serum, foundry workers, 243
ALVAREZ C A *see* REGO G F *et al*
Alveolar epithelial cells and macrophages, effects of wool and grain dusts, 196
Alveolitis, particulate induced, and leucocyte proteolysis, 61
Ambulance service, Belfast, physical fitness and occupational demands, 592
AMERY A *see* LIJNEN P *et al*
STAESSEN J *et al*
AMSEL J *see* CHIAZZE L *et al*
ANDERSEN A *see* SIMONATO L *et al*
ANDERSON D *see* YARDLEY-JONES A *et al*
ANDERSON K *see* SIMONATO L *et al*
Anticarcinoembryonic antigen, value in differentiating mesothelioma from lung carcinoma, 34
Antikeratin antibodies, value in differentiating mesothelioma from lung carcinoma, 34
Antimony metabolism, experimental and human studies related to exposure, 93
ANTTI-POIKA M *see* HÄNNINEN H *et al*
ARAKI S *see* TANIGAWA T *et al*
ARAKI T *see* TANIGAWA T *et al*
ARMSTRONG B K *see* DE KLERK N H *et al*
Asbestos
blue, and mesotheliomas, association between, and aftermath, 399
and cancer, history and public policy: forum, 427–432
exposed non-smoking workers, early detection of interstitial lung disease, 663
fibres, chrysotile, and desquamative interstitial pneumonia, 332
former workers, Wittenoom, prediction of mesothelioma, lung cancer, and asbestosis, 793
lung content, analysis: editorial, 649
occupational exposure in mesothelioma, 48
related diffuse pleural fibrosis, fibre distribution in lungs and pleura, 762
related malignancy, Cairns hypothesis: editorial, 73
and respiratory findings among ironworkers, New York, 404
workers, frequency of sister chromatid exchange and chromosomal aberrations, 103
Asbestosis
laryngeal carcinoma, and malignant peritoneal mesothelioma, insulation worker, 338
as precursor of asbestos related lung cancer, results of prospective mortality study, 229
prediction in former Wittenoom asbestos workers, 793
smoking and exposure to crocidolite, 412
Asphalt, and cancer risk, man, 538
Asthma
occupation and smoking adjusted mortality, Sweden, 323
occupational, caused by exposure to neurospora, plywood factory worker, 279
due to hexahydrophthalic anhydride: case report, 643
due to maleic anhydride, 283
surveillance scheme, West Midlands, preliminary report, 579
toluene diisocyanate induced, CD8 positive lymphocytes and eosinophils, 116
ATTERBURY M *see* REMPEL D *et al*
AUSTWICK P K C *see* FINNEGAN M J *et al*
AXELSON O *see* AXMACHER B *et al*
AXMACHER B, AXELSON O, FRÖDIN T, GOTTHARD R, HED J, MOLIN L, BRAGE H N, and STRÖM M: Dust exposure in coeliac disease: a case-referent study, 715

B

BACHMANN M and MYERS J E: Grain dust and respiratory health in South African milling workers, 656
BAILLY R, LAUWERYS R, BUCHET J P, MAHIEU P, and KONINGS J: Experimental and human studies on antimony metabolism: their relevance for the biological monitoring of workers exposed to inorganic antimony, 93
Baking industry, clinical and immunological responses to occupational exposure to alpha-amylase, 604
BALMES J *see* GORDON T *et al*
REMPEL D *et al*
BANKS H A *see* STOLLERY BT *et al*
BAXTER P J: Toxic marine and freshwater algae: an occupational hazard: editorial, 505
see also THOMAS K E *et al*
BECKER C E *see* LASH A A *et al*
BECKER N, CHANG-CLAUDE J, and FRENTZEL-BEYME R: Risk of cancer for arc welders in the Federal Republic of Germany: results of a second follow up (1983–8), 675
see also SIMONATO L *et al*
Behavioural comparisons of toluene and ethanol, 750
Belfast ambulance service, physical fitness and occupational demands, 592
BELIN L *see* BRISMAN J and BELIN L
BEN-MEIR P *see* DEHAAN A *et al*
BENNETT J B *see* THOMAS K E *et al*
Benzene
exposure and mortality from leukaemia, results from coke oven and other coal product workers: correspondence, 502
toxicity, and its metabolism and molecular pathology in human

risk assessment, 437
Beral V *see* Roman E *et al*
Bergevin Y *see* Woldeyohannes M *et al*
Bergmann E-M *see* Merget R *et al*
Bernard A *see* Staessen J *et al*
Bernard A M *see* Roels H A *et al*
Berry G: Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers, 793
Beving H, Tornling G, and Olsson P: Increased erythrocyte volume in car repair painters and car mechanics, 499
Bidstrup P L *see* Davies J M *et al*
Bile acids, serum, and biomonitoring liver function, 557
Bisby J *see* Christie D *et al*
Bjermer L *see* Sandström T *et al*
Black A *see* Gamble R P *et al*
Blair A *see* Spirtas R *et al*
Stewart PA *et al*
Blaschke E *see* Eklund A *et al*
Blight B J N *see* Gibbs A R *et al*
Blue asbestos and mesotheliomas, association between, and aftermath, 399
Bode F *see* Merget R *et al*
Boeckx M *see* Roels H A *et al*
Boman A *see* Johanson G and Boman A
Bootstrap estimate of variance and confidence interval of kappa: correspondence, 503
Boreham C A G *see* Gamble R P *et al*
Brage H N *see* Axmacher B *et al*
Brain tumours, incidence in some "electrical occupations", 597
Brezinova V and Quinton D N: Response to cold and abnormalities of nerve conduction velocity in hand-arm vibration syndrome, 353
Brisman J and Belin L: Clinical and immunological responses to occupational exposure to alpha-amylase in the baking industry, 604
Broadbent D E *see* Stollery BT *et al*
Brochu G *see* Côté J *et al*
Brock A: Inter and intraindividual variations in plasma cholinesterase activity and substance concentration in employees of an organophosphorus insecticide factory, 562
Brogden K A *see* Delucca A J *et al*
Bronchial
asthma, caused by inhaled pancreatic extracts, paediatric nurse, 355
hyperreactivity, in potroom workers, prognosis after stopping exposure, 653
provocation tests, with platinum salts, and occupational asthma, 830
Bronchiolitis, in talcosis, 140
Bronchoalveolar lavage fluid
after peat dust exposure, 771
extracellular matrix components, quartz exposed rats, 776
Brouwer E J, Evelo C T A, Verplanke A J W, van Welie R T H, and de Wolff F A: Biological effect monitoring of occupational exposure to 1,3-dichloropropene: effects on liver and renal function and on glutathione conjugation, 167: correction, 288: correspondence, 646
Brown D M and Donaldson K: Injurious effects of wool and grain dusts on alveolar epithelial cells and macrophages in vitro, 196
see also Brown G M *et al*
Brown G M, Brown D M, Slight J, and Donaldson K: Persistent biological reactivity of quartz in the lung: raised protease burden compared with a non-pathogenic mineral dust and microbial particles, 61
Browne K: Asbestos related malignancy and the Cairns hypothesis: editorial, 73
Bruaux P *see* Staessen J *et al*
Buchet J P *see* Bailly R *et al*
Roels H A *et al*
Staessen J *et al*
Burge P S *see* Gannon P F G and Burge P S
2-Butoxyethanol vapour, percutaneous absorption, 788

C

Cadmium, effect on transmembrane Na + and K + transport systems in human erythrocytes, 392
Cadmium exposure
effects on calcium metabolism, 710
and filtration reserve capacity of kidney, 365
Cairns hypothesis, asbestos related malignancy: editorial, 73
Cairoli S *see* Colosio C *et al*
Calcium metabolism, and cadmium exposure, 710
Calvert G M, Moore M, and Hessl S M: Ventilatory function after exposure to various respirable hazards in a population of former coal miners, 38
Cancer
and asbestos, history and public policy: forum, 427-432
incidence in Australian petroleum industry, I Mortality, 507: II Incidence of cancer, 511
mortality and incidence at four factories making phenoxy herbicides, 173
occupational exposure, contribution, recent developments: editorial, 217
potential risk in stainless steel, mild steel, and shipyard welders, 145
risk, and asphalt, 538
Car repair painters and car mechanics, increased erythrocyte volume, 499
Carbon tetrachloride, low concentration, hepatotoxicity enhanced by ethanol and food deprivation, rats, 636
Cardiovascular disease, toxicity of mercury compounds as possible risk factor: correspondence, 845
Cardiovascular risk and job strain, Denmark, 684
Carta P, Cocco P L, and Casula D: Mortality from lung cancer among Sardinian patients with silicosis, 122
Carter J T: There's a lot of it about?: editorial, 289
Case B W: On talc, tremolite, and tergiversation. Ter-gi-ver-sate 2: to use subterfuges: correspondence, 357
Cassou B *see* Iwatsubo Y *et al*
Castleman B I: Asbestos and cancer: history and public policy: forum, 427
Casula D *see* Carta P *et al*
Catalano E A *see* Delucca A J *et al*
CD8 positive lymphocytes and eosinophils, increase in toluene diisocyanate induced asthma, 116
Cement dust exposure and cancer risk, 803
Ceulemans E *see* Roels H A *et al*
Chan H *see* Côté J *et al*
Chan-Yeung M *see* Côté J *et al*
Chang-Claude J *see* Becker N *et al*
Simonato L *et al*
Changy-C: An electrophysiological follow up of patients with n-hexane polyneuropathy, 12
Chaplin J *see* Espir M *et al*
Chee B E *see* Lee H S *et al*
Chee C B E, Lee H S, Cheong T H, Wang Y T and Poh S C: Occupational asthma due to hexahydrophthalic anhydride: a case report, 643
Chemical workers, oil refinery, prospective morbidity surveillance, 155
Chen J-D, Wang J-D, Jang J-P, and Chen Y-Y: Exposure to mixtures of solvents among paint workers and biochemical alterations of liver function, 696
Chen J-L *see* Lai Y-R *et al*
Chen S, Zhang Z, He F, Yao P, Wu Y, Sun J, Liu L, and Li Q: An

epidemiological study on occupational acute pyrethroid poisoning in cotton farmers, 77
see also ZHANG Z *et al*
CHEN Y-Y *see* CHEN J-D *et al*
CHEONG T H *see* CHEE C B E *et al*
LEE H S *et al*
CHERRIE J W *see* HURLEY J F *et al*
Chest x ray screening for lung cancer, at three British chromates plants, 1955-1989, 476
CHIA K S *see* NG T P *et al*
CHIA S E *see* NG T P *et al*
ONG C N *et al*
CHIAZZE L, WATKINS D K, and AMSEL J: Asphalt and risk of cancer in man, 538
Cholinesterase, plasma, activity
inter and intraindividual variations, organophosphorus insecticide factory employees, 562
variation among greenhouse workers, fruitgrowers, and slaughtermen, 164
CHRISTIE D, ROBINSON K, GORDON I, and BISBY J: A prospective study in the Australian petroleum industry. I Mortality, 507; II Incidence of cancer, 511
Chromate plants, three British, chest x ray screening for lung cancer, 1955-1989, 476
production workers, mortality from respiratory cancer and other causes, United Kingdom, 299
workers, decrease in Leu-11a negative lymphocytes in relation to natural killer cell activity, 211
Chromosome aberrations in asbestos cement workers, 103
Chrysotile asbestos fibres, and desquamative interstitial pneumonia, 332
CHURG A: Analysis of lung asbestos content: editorial, 649
Cigarette smoking, and small irregular opacities, 841
Civil service, epilepsy, occupational aspects, 665
CLAEYS F *see* STAESSEN J *et al*
CLAVEL F *see* PIETRI F and CLAVEL F
CLEYMAET R, COLLYS K, RETIEF D H, MICHOTTE Y, SLOP D, TAGHON E, MAEX W, and COOMANS D: Relation between lead in surface tooth enamel, blood, and saliva from children residing in the vicinity of a non-ferrous metal plant in Belgium, 702
Coal
dust, toxic action, zinc protection, mouse macrophages, 838
miners, former, ventilatory function after exposure to various respirable hazards, 38
mining, emphysema, and compensation: correspondence, 70
product workers, exposure to benzene and mortality from leukaemia: correspondence, 502
workers' pneumoconiosis, exercise capacity, analysis using causal modelling: correspondence, 215
presence of acute phase response, 193
COCCO P L *see* CARTA P *et al*
Coeliac disease, and dust exposure, 715
Coffee process workers, factors relating to development of respiratory symptoms, 314
COGGON D, PANNETT B, and WINTER P: Mortality and incidence of cancer at four factories making phenoxy herbicides, 173
see also COOPER C *et al*
HARRINGTON J M *et al*
SYMINGTON P *et al*
Cognitive functioning, lead workers, short term prospective study, 739
COHEN J L *see* SPIRTAS R *et al*
Coke over workers, exposure to benzene and mortality from leukaemia: correspondence, 502
Coke plant workers, mortality, Netherlands, 130
COLLINS H P R *see* LOVE R G *et al*
COLLYS K *see* CLEYMAET R *et al*
COLOSIO C, TOMASINI M, CAIROLI S, FOÀ V, MINOIA C, MARINOVICH M, and GALLI C L: Occupational triphenyltin acetate poisoning: a case report, 136
Compensation
coalmining, and emphysema: correspondence, 70
industrial injuries: editorial, 577
Computed tomography, thorax, in workers exposed to hard metals, 208: correction, 648
COOK D G *see* MORRIS J K and COOK D G
COOMANS D *see* CLEYMAET R *et al*
COOPER C, WICKHAM C, and COGGON D: Sedentary work in middle life and fracture of the proximal femur: correspondence reply, 71
CORDIER S, DEPLAN F, MANDEREAU L, and HEMON D: Paternal exposure to mercury and spontaneous abortions, 375
Correction, 288
CÔTÉ J, CHAN H, BROCHU G, and CHAN-YEUNG M: Occupational asthma caused by exposure to neurospora in a plywood factory worker, 279
COTES J E and KING B: Exercise capacity in coal workers' pneumoconiosis: an analysis using causal modelling: correspondence, 215
Cotton
dust extracts, biophysical alteration of lung surfactant, 41
farmers, occupational acute pyrethroid poisoning, epidemiological study, 77
mill workers, mortality and disability: correspondence, 143
textile mill workers, respiratory problems, Ethiopia, 110
COWLES S R *see* TSAI S P *et al*
CRAN G W *see* GAMBLE R P *et al*
Crocidolite exposure, smoking, and incidence of lung cancer and asbestosis, 412
CROOK B *see* THOMAS K E *et al*
CUERVO V G *see* REGO G F *et al*
CURSTEDT T *see* EKLUND A *et al*

D

DAMSGAARD M T *see* NETTERSTRØM B *et al*
DAVIES J M, EASTON D F, and BIDSTRUP P L: Mortality from respiratory cancer and other causes in United Kingdom chromate production workers, 299
DAVIES R J *see* THOMAS K E *et al*
DE KLERK N H, MUSK A W, ARMSTRONG B K, and HOBBS M S T: Smoking, exposure to crocidolite, and the incidence of lung cancer and asbestosis, 412
DE PLAEN P *see* STAESSEN J *et al*
DE WOLFF F A *see* BROUWER E J *et al*
VAN WELIE R TH *et al*
DEHAAN A, BEN-MEIR P, and SAGI A: A "scorpion fish" (*Trachinus vipera*) sting: fishermen's hazard, 718
DELUCCA A J, BROGDEN K A, CATALANO E A, and MORRIS N M: Biophysical alteration of lung surfactant by extracts of cotton dust, 41
DENG J-F, SINKS R, ELLIOTT L, SMITH D, SINGAL M and FINE L: Characterisation of respiratory health and exposures at a sintered permanent magnet manufacturer, 609
DEPLAN F *see* CORDIER S *et al*
DERRIENNIC F *see* IWATSUBO Y *et al*
Desquamative interstitial pneumonia associated with chrysotile asbestos fibres, 332
1,3-Dichloropropene
occupational exposure, biological effect monitoring, 167: correction, 288: correspondence, 646
urinary excretion of thioether, compared with mercapturic acid excretion, 492
Dimethylethylamine
experimental and occupational exposure, visual disturbances as result, 26

in mould core manufacturing, exposure, metabolism, and biological monitoring, 203
Disability, and mortality, cotton mill workers: correspondence, 143
Diving, deep, neurological long term consequences, 258
DMSA, influence on urinary excretion of mercury after exposure, 247
DONALDSON K *see* BROWN D M and DONALDSON K
BROWN G M *et al*
DOUGLAS A J *see* SWERDLOW A J *et al*
DOWD C M *see* TSAI S P *et al*
DUCOFFRE G *see* STAESSEN J *et al*
DUJIĆ Ž, TOCILJ J, and ŠARIĆ M: Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography, 663
DUMAS E P *see* VAN SITTERT N J *et al*
Dust exposure, in coeliac disease, 715

E

EARL R *see* MARTIN F *et al*
EASTON D F *see* DAVIES J M *et al*
ECHEVERRIA D, FINE L, LANGOLF G, SCHORK T, and SAMPAIO C: Acute behavioural comparisons of toluene and ethanol in human subjects, 750
EDLING C *see* NORBÄCK D and EDLING C
EKLUND A, TORNLING G, BLASCHKE E, and CURSTEDT T: Extracellular matrix components in bronchoalveolar lavage fluid in quartz exposed rats, 776
"Electrical occupations", incidence of leukaemia and brain tumours, 597
ELINDER C-G, AHRENGART L, LIDUMS V, PETTERSSON E, and SJÖGREN B: Evidence of aluminium accumulation in aluminium welders, 735
ELLIOTT L *see* DENG J-F *et al*
ELWOOD P C: Mortality and disability among cotton mill workers: correspondence, 143
Emphysema, coalmining, and compensation: correspondence, 70
ENDOH K *see* SATO A *et al*
Endotoxin, inhaled, airway oedema and obstruction, guinea pigs, 629
Environment, and health: editorial, 433
Epilepsy, civil service, occupational aspects, 665
ERIKSSON M and HARDELL L: Employment in pulp mills as a possible risk factor for soft tissue sarcoma: a case report: correspondence, 288
Erythrocyte volume, increased, in car repair painters and car mechanics, 499
ESPIR M, FLOYD M, and CHAPLIN J: Occupational aspects of epilepsy in the civil service, 665
Ethanol
consumption, influence on pharmacokinetic behaviour of inhaled trichloroethylene, 548
and food deprivation induced enhancement of hepatotoxicity in rats given low concentration carbon tetrachloride, 636
and toluene, acute behavioural comparisons, 750
Ethylene oxide, inhaled, dose dependent effects on spermatogenesis, rats, 270
EVELO E J *see* BROUWER E J *et al*
Exercise capacity, in coal workers' pneumoconiosis, analysis using causal modelling: correspondence, 215
Exposure intensity, risk assessment using, application to vermiculite mining, 543
Expoxy paint exposure, respiratory effects, shipyard workers, 783
Extracellular matrix components in bronchoalveolar lavage fluid, quartz exposed rats, 776

F

FABBRI L M *see* FINOTTO S *et al* Factory closures, effect on health, 1
FAGARD R *see* LIJNEN P *et al*
STAESSEN J *et al*
FATMA N, JAIN A K, and RAHMAN Q: Frequency of sister chromatid exchange and chromosomal aberrations in asbestos cement workers, 103
Fatty liver disease, obesity and hepatotoxins as risk factors, 690
Femur, proximal, fracture, and sedentary work in middle life: correspondence, 71
FERRO G *see* SIMONATO L *et al*
Fibre distribution in lungs and pleura, in asbestos related diffuse pleural fibrosis, 762
Fibrinogen and job strain, Denmark, 684
Fibrosis
of hilar lymph glands, and development of parenchymal silicosis, relation between, 267
idiopathic pulmonary, lung dust content, 327
FINE J *see* GORDON T *et al*
FINE L *see* DENG J-F *et al*
ECHEVERRIA D *et al*
FINNEGAN M J, LITTLE S, GORDON D J, AUSTWICK P K C, TEE R D, NUNN A J, and NEWMAN-TAYLOR A J: The effect of smoking on the development of allergic disease and specific immunological responses in a factory workforce exposed to humidifier contaminants, 30
FINOTTO S, FABBRI L M, RADO V, MAPP C E, MAESTRELLI P: Increase in numbers of CD8 positive lymphocytes and eosinophils in peripheral blood of subjects with late asthmatic reactions induced by toluene diisocyanate, 116
FISCHBEIN A, LUO J-C J, and PINKSTON G R: Asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma in an insulation worker, 338
ROSENFELD S, LACHER M, MILLER A, and ROSENBAUM A: Respiratory findings among ironworkers: results from a clinical survey in the New York metropolitan area and identification of health hazards from asbestos in place at work, 404
see also FREED J A *et al*
MENDELSON D S *et al*
Fishermen, "scorpion fish" sting, 718
FLETCHER A C *see* SIMONATO L *et al*
FLETCHER C, GILSON M, GILSON R and SCHILLING R: John Gilson Chair of Occupational Medicine: correspondence, 648
FLORÉN I *see* STÅHLBOM B *et al*
FLOYD M *see* ESPIR M *et al*
FOÀ V *see* COLOSIO C *et al*
FOLIART D *see* WONG O *et al*
FORBES CD *see* SPIRTAS R *et al*
STEWART PA *et al*
Forestry workers, exposed to phenoxy acid herbicides, cohort mortality study, 234
Formaldehyde, occupational exposure, malignant melanomas of nasal cavity after, 9
Foundry, respiratory symptoms in children at schools nearby, 588
Foundry workers, effect of aluminium exposure on concentrations of essential metals in serum, 243
FRANCO G: New perspectives in biomonitoring liver function by means of serum bile acids: experimental and hypothetical biochemical basis, 557
FREED J A, MILLER A, GORDON R E, FISCHBEIN A, KLEINERMAN J, and LANGER A M: Desquamative interstitial pneumonia associated with chrysotile asbestos fibres, 332
FRENTZEL-BEYME R *see* BECKER N *et al*
FRÖDIN T *see* AXMACHER B *et al*
Fruitgrowers, greenhouse workers, and slaughtermen, variation in plasma cholinesterase activity, 164
FUJISHIRO K *see* MORI K *et al*

FUKUMURA A *see* SUGAWARA E *et al*
FUNG KP and LEE J: Bootstrap estimate of the variance and confidence interval of kappa: correspondence, 503

G

GALLEGO M *see* PARRA O *et al*
GALLI C L *see* COLOSIO C *et al*
GAMBLE R P, STEVENS A B, MCBRIEN H, BLACK A, CRAN G W and BOREHAM C A G: Physical fitness and occupational demands of the Belfast ambulance service, 592
GANNON P F G and BURGE P S: A preliminary report of a surveillance scheme of occupational asthma in the West Midlands, 579
GAO W-X, *see* LAI Y-R *et al*
GARDNER M J: Contribution of occupational exposure to cancer: recent developments: editorial, 217
GEE L B L and MORGAN W K C: Coalmining, emphysema, and compensation: correspondence, 70
GENDAL E S *see* MENDELSON D S *et al*
GÉRIN M *see* SIMONATO L *et al*
GIBBS A R, STEPHENS M, GRIFFITHS D M, BLIGHT B J N, and POOLEY F D: Fibre distribution in the lungs and pleura of subjects with asbestos related diffuse pleural fibrosis, 762
GILSON M *see* FLETCHER C *et al*
GILSON R *see* FLETCHER C *et al*
Glutathione concentration and lipid peroxidation in erythrocytes, in lead exposure, 239
Glutathione conjugation capacity, and biological effect monitoring of occupational exposure to 1, 3-dichloropropene, 167: correction, 288: correspondence, 646
GOH H H *see* NG T P *et al*
Gold miners
  lung carcinoma, Ontario, 808
  silica exposure, silicosis, and lung cancer, mortality study, South Africa, 53
GONZÁLEZ C M *see* REGO G F *et al*
GOODMAN-KLEIN B *see* HODGSON M *et al*
GORDON D J *see* FINNEGAN M J *et al*
GORDON I *see* CHRISTIE D *et al*
GORDON R E *see* FREED J A *et al*
GORDON T, BALMES J, FINE J and SHEPPARD D: Airway oedema and obstruction in guinea pigs exposed to inhaled endotoxin, 629
GOTTHARD R *see* AXMACHER B *et al*
Grain dust
  injurious effects on alveolar epithelial cells and macrophages, 196
  and respiratory health, milling workers, South Africa, 656
GRANDJEAN P, JØRGENSEN P J, and VISKUM S: Temporal and interindividual variation in erythrocyte zinc-protoporphyrin in lead exposed workers, 254
GRAUMAN D J *see* SPIRTAS R *et al*
GRAY C N *see* SIMONATO L *et al*
GREEN L M: A cohort mortality study of forestry workers exposed to phenoxy acid herbicides, 234
Greenhouse workers, fruitgrowers, and slaughtermen, variation in plasma cholinesterase activity, 164
GRIFFIN M J *see* HARADA N *et al*
GRIFFITHS D M *see* GIBBS A R *et al*

H

Hand-arm vibration syndrome, response to cold and abnormalities of nerve conduction velocity, 353
HÄNNINEN H, ANTTI-POIKA M, JUNTUNEN J, and KOSKENVUO M: Exposure to organic solvents and neuropsychological dysfunction: a study on monozygotic twins, 18
HANSEN K S *see* SIMONATO L *et al*
HARADA N and GRIFFIN M J: Factors influencing vibration sense thresholds used to assess occupational exposures to hand transmitted vibration, 185
Hard metals, computed tomography of thorax in workers exposed to, 208: correction, 648
HARDELL L *see* ERIKSSON M and HARDELL, L
HARRINGTON J M, TAYLOR A J N and COGGON D: Industrial injuries compensation: editorial, 577
HARRIS M *see* JOGLEKAR V M *et al*
HASSI J *see* REIJULA K *et al*
HAYES J P and NEWMAN TAYLOR A J: Bronchial asthma in a paediatric nurse caused by inhaled pancreatic extracts, 355
HAYES R B *see* SWAEN G M H *et al*
HE F *see* CHEN S *et al*
  ZHANG Z *et al*
Health and the environment: editorial, 433
Health and Safety Executive, reorganisation: editorial, 362
HED J *see* AXMACHER B *et al*
HEINEMAN E F: Sedentary work in middle life and fracture of the proximal femur: correspondence, 71
HEMON D *see* CORDIER S *et al*
Hepatotoxicity of low concentration carbon tetrachloride, enhanced by ethanol and food deprivation, rats, 636
Hepatotoxins, as risk factors for fatty liver disease, 690
Herbicides, phenoxy, mortality and incidence of cancer at four factories making, 173
HERSON GB *see* NOLAN RP *et al*
HESSL S M *see* CALVERT G M *et al*
Hexachlorobenzene, experimental evidence for possible exposure by skin contamination, 622
Hexahydrophthalic anhydride, causing occupational asthma: case report, 643
2,5-Hexanedione, urinary concentration, determination by improved analytical method as index of exposure to n-hexane, 568
Hilar lymph glands, fibrosis, and development of parenchymal silicosis, relation between, 267
HISANAGA N *see* SAITO I *et al*
HNIZDO E and SLUIS-CREMER G K: Silica exposure, silicosis, and lung cancer: a mortality study of South African gold miners, 53
HOBBS M S T *see* DE KLERK N H *et al*
HODGSON M, VAN THIEL D H, and GOODMAN-KLEIN B: Obesity and hepatotoxins as risk factors for fatty liver disease, 690
HOLGATE S *see* SYMINGTON P *et al*
HOLSTROM M and LUND V J: Malignant melanomas of the nasal cavity after occupational exposure to formaldehyde, 9
HOOVER RN *see* SPIRTAS R *et al*
HORI H *see* MORI K *et al*
HÖRNQVIST-BYLUND S *see* SANDSTRÖM T *et al*
HÖRTE L-G *see* TORÉN K *et al*
HUANG J *see* SAITO I *et al*
HUGHES J M and WEILL H: Asbestosis as a precursor of asbestos related lung cancer: results of a prospective mortality study, 229
Human milk factor globulin, value in differentiating mesothelioma from lung carcinoma, 34
Humidifier contaminants exposure, and smoking and allergic diseases, 30
HURLEY JF, CHERRIE JW, and MACLAREN W: Exposure to benzene and mortality from leukaemia: results from coke oven and other coal product workers: correspondence, 502
HUTTLY S R A *see* SWERDLOW A J *et al*
HUUSKONEN M S *see* TUOMI T *et al*
Hydrogen sulphide, inhalation, case of subacute manifestations and long term sequelae, 286
Hypertension, noise induced, dose response relation, 179

I

IKATSU J, OKINO T and NAKAJIMA T: Ethanol and food deprivation

induced enhancement of hepatotoxicity in rats given carbon tetrachloride at low concentration, 636
Industrial injuries compensation: editorial, 577
INOUE N *see* MORI K *et al*
Insecticides, and plasma cholinesterase activity, in greenhouse workers, fruitgrowers, and slaughtermen, 164
Insulation worker, asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma, 338
Interstitial lung disease, early detection in asbestos exposed non-smoking workers, 663
Ironworkers, respiratory findings, and asbestos, New York, 404
IWATSUBO Y, DERRIENNIC F, and CASSOU B: Relation between job mortality during working life and health state after retirement: a cross sectional study of 627 subjects living in the Paris area, 721

J

JAIN A K *see* FATMA N *et al*
JANG J-P *see* CHEN J-D *et al*
JANUS C L *see* MENDELSON D S *et al*
JÄRVHOLM B *see* TORÉN K *et al*
JEYARATNAM J *see* NG TP *et al*
JIANG X-Y, *see* LAI Y-R *et al*
Job mobility during working life and health state after retirement, relationship, 721
Job strain and cardiovascular risk, Denmark, 684
JOGLEKAR V M, OLIVER D, and HARRIS M: The value of anticarcinoembryonic antigen, human milk factor globulin, and antikeratin antibodies in differentiating mesothelioma from lung carcinoma, 34
JOHANSON G and BOMAN A: Percutaneous absorption of 2-butoxyethanol vapour in human subjects, 788
see also SATO A *et al*
John Gilson Chair of Occupational Medicine: correspondence, 648
JONES J *see* REMPEL D *et al*
JØRGENSEN P J *see* GRANDJEAN P *et al*
JUNTI-SEPPÄ *see* HÄNNINEN H *et al*

K

KAIDO M *see* MORI K *et al*
KALLIOMÄKI P-L *see* SIMONATO L *et al*
KAMBESTAD B K *see* TODNEM K *et al*
KANEKO T *see* SATO A *et al*
Kappa, bootstrap estimate of variance and confidence interval: correspondence, 503
KASHYAP S K, *see* SAIYED H N *et al*
KERTTULA R *see* REIJULA K *et al*
Kidney, filtration reserve capacity, assessment, cadmium exposure, 365
KIELKOWSKI D *see* MURRAY J *et al*
KILROE-SMITH T A *see* RÖLLIN H B *et al*
KING B *see* COTES J E and KING B E
KLEINERMAN J *see* FREED J A *et al*
KLOSS D M *see* LEE W R and KLOSS D M
KNAVE B *see* TÖRNQVIST S *et al*
KNUDSEN K M, *see* VESTBO J *et al*
KOGEVINAS M and BOFFETTA P: A cohort mortality study and a case-control study of workers potentially exposed to styrene in the reinforced plastics and composites industry: correspondence, 575
KOIDE O *see* MORI K *et al*
KOIZUMI A: Experimental evidence for the possible exposure of workers to hexachlorobenzene by skin contamination, 622
KOLMODIN-HEDMAN B *see* SANDSTRÖM T *et al*
KONINGS J *see* BAILLY R *et al*
KORSGAARD B, *see* VESTBO J *et al*
KOSKENVUO M *see* HÄNNINEN H *et al*
KOSTKA B: Toxicity of mercury compounds as a possible risk factor for cardiovascular diseases: correspondence, 845
KRISTENSEN T S *see* NETTERSTRØM B *et al*
KURPPA K *see* SIMONATO L *et al*
KUSIAK R A, SPRINGER J, RITCHIE A C, and MULLER J: Carcinoma of the lung in Ontario gold miners: possible aetiological factors, 808

L

LACEY J *see* THOMAS K E *et al*
LACHER M *see* FISCHBEIN A *et al*
LAI Y-R, CHEN J-L, JIANG X-Y, YANG G-K, YANG S-Q, and GAO W-X: The protective role of zinc in the toxic action of coal dust upon mouse macrophages, 838
LANDER F and LINGS S: Variation in plasma cholinesterase activity among greenhouse workers, fruitgrowers, and slaughtermen, 164
LÅNGARD S *see* SIMONATO L *et al*
LANGER A M, NOLAN R P, and ADDISON J: On talc, tremolite, and tergiversation: correspondence, 359
see also FREED J A *et al*
NOLAN RP *et al*
LANGOLF G *see* ECHEVERRIA D *et al*
Laryngeal carcinoma, malignant peritoneal mesothelioma, and asbestosis, insulation worker, 338
LASH A A, BECKER C E, SO Y, and SHORE M: Neurotoxic effects of methylene chloride: Are they long lasting in humans?, 418
LAUWERYS R *see* BAILLY R *et al*
LAUWERYS R R *see* ROELS H A *et al*
STAESSEN J *et al*
Lead
as bullets in trees, apocryphal/true, 398
concentrations, children residing in non-ferrous metal plant vicinity, 702
exposure, erythrocyte zinc-protoporphyrin, temporal and inter-individual variation, 254
lipid peroxidation and concentration of glutathione in erythrocytes, 239
moderate exposure, male endocrine functions, 485
poisoning, HSE reorganisation: editorial, 362
workers, cognitive functioning, short term prospective study, 739
LEDIN M-C *see* SANDSTRÖM T *et al*
LEE H S, NG T P, NG Y L, and PHOON W H: Diurnal variation in peak expiratory flow rate among polyvinylchloride compounding workers, 275
WANG Y T, CHEONG T H, TAN K T, CHEE B E, and NARENDRAN K: Occupational asthma due to maleic anhydride, 283
see also CHEE C B E *et al*
LEE J *see* FUNG KP and LEE J
LEE J S *see* SPIRTAS R *et al*
STEWART P A *et al*
LEE W R and KLOSS D M: Lead astray?: editorial, 362
STOLLERY B T *et al*
Leu-11a negative lymphocytes, decrease in relation to natural killer cell activity, chromate workers, 211
Leukaemia
incidence in some "electrical occupations", 597
mortality, and exposure to benzene, coke oven and other coal product workers: correspondence, 502
Leukocyte proteolysis, and particulate induced alveolitis, 61
LI Q *see* CHEN S *et al*
LIDUMS V *see* ELINDER C-G *et al*
LJUNGGREN K G *et al*
LIJNEN P, STAESSEN J, FAGARD R, and AMERY A: Effect of cadmium on transmembrane Na^+ and K^+ transport systems in human erythrocytes, 392
see also STAESSEN J *et al*
LINGS S *see* LANDER F and LINGS S
Lipid peroxidation and concentration of glutathione in erythrocytes, in lead exposure, 239

LITTLE S *see* FINNEGAN M J *et al*
LIU L *see* CHEN S *et al*
Liver function
and biological effect monitoring of occupational exposure to 1,3-dichloropropene, 167: correction, 288: correspondence, 646
biomonitoring by means of serum bile acids, 557
paint workers exposed to solvent mixtures, 696
LJUNGGREN K G, LIDUMS V, and SJÖGREN B: Blood and urine concentrations of aluminium among workers exposed to aluminium flakepowders, 106
LOTTI M: Health and the environment: editorial, 433
LOVE R G, MUIRHEAD M, COLLINS H P R, and SOUTAR C A: The characteristics of respiratory ill health of wool textile workers, 221
LUND V J *see* HOLSTROM M and LUND V J
LUNDH T, STÅHLBOM B, and ÅKESSON B: Dimethylethylamine in mould core manufacturing: exposure, metabolism, and biological monitoring, 203
see also STAHLBOM B *et al*
Lung asbestos content, analysis: editorial, 649
Lung cancer
chest x ray screening, at three British chromates plants, 1955-1989, 476
mortality, Sardinians with silicosis, 122
and potential exposure to slag wool fibres, 818
potential risk in stainless steel, mild steel, and shipyard welders, 145
prediction in former Wittenoom asbestos workers, 793
silica exposure, and silicosis, gold miners, mortality study, South Africa, 53
smoking and exposure to crocidolite, 412
Lung carcinoma
differentiation from mesothelioma, value of anticarcinoembryonic antigen, human milk factor globulin, and antikeratin antibodies, 34
in gold miners, Ontario, 808
Lung dust content, idiopathic pulmonary fibrosis, 327
Lung surfactant, biophysical alteration by cotton dust extracts, 41
LUO J-C J *see* FISCHBEIN A *et al*

M

MCBRIEN H *see* GAMBLE R P *et al*
MCDONALD J C *see* MEREDITH S K *et al*
VACEK P M and MCDONALD J C
MACLAREN W *see* HURLEY J F *et al*
Macrophages, toxic action of coal dust, zinc in protection against, 838
MAESTRELLI P *see* FINOTTO S *et al*
MAEX W *see* CLEYMAET R *et al*
Magnet, sintered permanent, manufacturer, characterisation of respiratory health and exposures, 609
MAHIEU P *see* BAILLY R *et al*
Maleic anhydride, causing occupational asthma, 283
Malignant melanomas of nasal cavity after occupational exposure to formaldehyde, 9
Malignant peritoneal mesothelioma, laryngeal carcinoma, and asbestosis, insulation worker, 338
MANDEREAU L *see* CORDIER S *et al*
Manmade mineral fibres, exposure in plastics industry: correspondence, 575
MAPP C E *see* FINOTTO S *et al*
MARANO D E *see* SPIRTAS R *et al*
STEWART P A *et al*
MARELJA J *see* SARIC M and MARELJA J
MARINOVICH M *see* COLOSIO C *et al*
MARTIN F, EARL R, and TAWN E J: A cytogenetic study of men occupationally exposed to uranium, 98
MEIER-SYDOW J, *see* MERGET R *et al*
MENDELSON D S, GENDAL E S, JANUS C L, and FISCHBEIN A: Computed tomography of the thorax in workers exposed to hard metals, 208: correction, 648
MENÉNDEZ C R *see* REGO G F *et al*
Mercapturic acid and thioether, urinary excretion compared, 1,3-dichloropropene exposure, 492
Mercuric chloride exposure, and rapid biotransformation of essential elements, rats, 382
Mercury
compounds, toxicity as possible risk factor for cardiovascular diseases: correspondence, 845
influence of DMSA on urinary excretion after exposure, 247
paternal exposure, and spontaneous abortions, 375
and selenium concentrations, interrelations in organs from dental staff/general population, 729
MEREDITH S K, TAYLOR V M, and MCDONALD J C: Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group, 292
MERGET R, SCHULTZE-WERNINGHAUS G, BODE F, BERGMANN E-M, ZACHGO W, and MEIER-SYDOW J: Quantitative skin prick and bronchial provocation tests with platinum salt, 830
MERLO F *see* SIMONATO L *et al*
Meso-2,3-dimercaptosuccinic acid *see* DMSA
Mesothelioma
and blue asbestos, association between, and aftermath, 399
differentiation from lung carcinoma, value of anticarcinoembryonic antigen, human milk factor globulin and antikeratin antibodies, 34
occupational exposure to asbestos, 48
prediction in former Wittenoom asbestos workers, 793
Methylene chloride, neurotoxic effects, are they long lasting in humans? 418
Methylmercury chloride exposure, and rapid biotransformation of essential elements, rats, 382
MGENI A Y *see* WOLDEYOHANNES M *et al*
MICHOTTE Y *see* CLEYMAET R *et al*
Microelectronic assembly workers, female, evidence for adverse reproductive outcomes: correspondence, 214
MILLER A *see* FISCHBEIN A *et al*
FREED J A *et al*
Milling workers, grain dust and respiratory health, South Africa, 656
MINATO N *see* TANIGAWA T *et al*
MINOIA C *see* COLOSIO C *et al*
MIYAKE T *see* SUGAWARA E *et al*
MOLIN L *see* AXMACHER B *et al*
MONSÓ E, TURA J M, PUJADAS J, MORELL F, RUIZ J, and MORERA J: Lung dust content in idiopathic pulmonary fibrosis: a study with scanning electron microscopy and energy dispersive x ray analysis, 327
see also PARRA O *et al*
MOORE M *see* CALVERT G M *et al*
MORELL F *see* MONSÓ E *et al*
MORERA J *see* MONSÓ E *et al*
PARRA O *et al*
MORGAN W K C *see* GEE L B L and MORGAN W K C
MORI K, KAIDO M, FUJISHIRO K, INOUE N, KOIDE O, HORI H, and TANAKA I: Dose dependent effects of inhaled ethylene oxide on spermatogenesis in rats, 270
MORRIS J K and COOK D G: A critical review of the effect of factory closures on health, 1
MORRIS N M *see* DELUCCA A J *et al*
Mortality
coke plant workers, Netherlands, 130
and disability, cotton mill workers: correspondence, 143
from respiratory cancer and other causes, chromate production workers, United Kingdom, 299

lung cancer, Sardinians with silicosis, 122
smoking adjusted, due to asthma, and occupation, Sweden, 323
Mould core manufacturing, dimethylethylamine in, exposure, metabolism, and biological monitoring, 203
MOULIN J J *see* SIMONATO L *et al*
MUIRHEAD M *see* LOVE R G *et al*
MULLER J, *see* KUSIAK R A *et al*
MURRAY J, WEBSTER I, REID G, and KIELKOWSKI D: The relation between fibrosis of hilar lymph glands and the development of parenchymal silicosis, 267
MURRAY R: Asbestos and cancer: history and public policy: forum, 427
MUSK A W *see* DE KLERK N H *et al*
MUTO H, SHINADA M, TOKUTA K, and TAKIZAWA Y: Rapid changes in concentrations of essential elements in organs of rats exposed to methylmercury chloride and mercuric chloride as shown by simultaneous multielemental analysis, 382
MYERS J E *see* BACHMANN M and MYERS J E

N

N-hexane polyneuropathy, electrophysiological follow up, 12
NAKAJIMA T *see* IKATSU H *et al*
NAKAMURA K *see* SUGAWARA E *et al*
NARENDRAN K *see* LEE H S *et al*
Natural killer cell activity, and decrease in Leu-11a negative lymphocytes, chromate workers, 211
Nerve function, after long term exposure to trichloroethylene, 87
Netherlands, coke plant workers, mortality, 130
NETTERSTRØM B, KRISTENSEN T S, DAMSGAARD M T, OLSEN O, and SJOL A: Job strain and cardiovascular risk factors: a cross sectional study of employed Danish men and women, 684
Neuropsychological dysfunction and organic solvents exposure, study on monozygotic twins, 18
Neurospora, causing asthma, plywood factory worker, 279
Neurotoxic effects of methylene chloride, are they long lasting in humans? 418
NEWHOUSE M L *see* SIMONATO L *et al*
NEWMAN TAYLOR A J *see* HAYES J P and NEWMAN TAYLOR A J
FINNEGAN M J *et al*
NG T P, GOH H H, NG Y L, ONG H Y, ONG C N, CHIA K S, CHIA S E, and JEYARATNAM J: Male endocrine functions in workers with moderate exposure to lead, 485
see also LEE H S *et al*
NG Y L *see* LEE H S *et al*
NG T P *et al*
NICK L *see* STAESSEN J *et al*
Noise induced hypertension, dose response relation, 179
NOLAN R P, LANGER A M, and HERSON G B: Characterisation of palygorskite specimens from different geological locales for health hazard evaluation, 463
see also LANGER A M *et al*
Non-ferrous metal plant vicinity, and lead concentrations, children, 702
NORBÄCK D and EDLING C: Environmental, occupational, and personal factors related to the prevalence of sick building syndrome in the general population, 451
NORBOO T *see* SAIYED H N *et al*
Notices, 72, 144, 216, 288, 360, 432, 576, 648, 845
NUNN A J *see* FINNEGAN M J *et al*
NYLAND H *see* TODNEM K *et al*
NYLANDER M and WEINER J: Mercury and selenium concentrations and their interrelations in organs from dental staff and the general population, 729

O

Obesity and hepatotoxins, as risk factors for fatty liver disease, 690
Occupation and smoking adjusted mortality due to asthma, Sweden, 323
Occupational exposure to cancer, contribution, recent developments: editorial, 217
Occupational medicine for one and all, 445
Occupational respiratory disease, UK 1989, SWORD report, 292
Oedema, airway, and obstruction, guinea pigs exposed to inhaled endotoxin, 629
Oil refinery employees, prospective morbidity surveillance, 155
OKINO T *see* IKATSU H *et al*
OLIVER D *see* JOGLEKAR V M *et al*
OLSEN O *see* NETTERSTRØM B *et al*
OLSSON P *see* BEVING H *et al*
ONG C N, CHIA S E, PHOON W H and TAN K T: Biological monitoring of occupational exposure to tetrahydrofuran, 616
see also NG T P *et al*
ONG H Y, *see* NG T P *et al*
ONO Y *see* SAITO I *et al*
Opacities, small irregular, and cigarette smoking, 841
Organic solvents, exposure, and neuropsychological dysfunction, study on monozygotic twins, 18
Organophosphorus insecticide factory employees, inter and intra-individual variations in plasma cholinesterase activity, 562
OVERSTEYNS M *see* ROELS H A *et al*

P

PÄÄKKÖ P *see* REIJULA K *et al*
Paint workers, solvent mixture exposure, and liver function, 696
Palygorskite specimens, characterisation, health hazard evaluation, 463
Pancreatic cancer, occupational exposure, review, 583
Pancreatic extracts, inhaled, causing bronchial asthma, paediatric nurse, 355
PANNETT B *see* COGGON D *et al*
Parenchymal silicosis, development, and fibrosis of hilar lymph glands, relation between, 267
PARKE D V *see* YARDLEY-JONES A *et al*
Parliamentary Commissioner for Administration, medical aspects: editorial, 362
PARRA O, MONSÓ E, GALLEGO M, and MORERA J: Inhalation of hydrogen sulphide: a case of subacute manifestations and long term sequelae, 286
PATEL P D *see* SAIYED H N *et al*
PATEL T S *see* SAIYED H N *et al*
Peak expiratory flow rate, polyvinylchloride compounding workers, diurnal variation, 275
Peat dust exposure, acute effects on lung function and content of bronchoalveolar lavage fluid, 771
Pernicious anaemia, textile industry, 348
PERSSON T *see* TÖRNQVIST S *et al*
PETO J *see* SIMONATO L *et al*
Petrochemical employees, prospective morbidity surveillance, 155
Petroleum industry, Australia, I Mortality, 507: II Incidence of cancer, 511
PETTERSSON E *see* ELINDER C-G *et al*
PETTIGREW H M *see* SPIRTAS R *et al*
Pharmacokinetic behaviour of organic solvent vapours, physiological factors simulated, 342
Phenoxy acid herbicides, forestry workers exposed to, cohort mortality study, 234
mortality and incidence of cancer at four factories making, 173
PHOON W H *see* LEE H S *et al*
ONG C N *et al*
Physical fitness and occupational demands, Belfast ambulance service, 592
PIETRI F and CLAVEL F: Occupational exposure and cancer of the pancreas: a review, 583

PINKSTON G R *see* FISCHBEIN A *et al*
PINNEY S *see* UPPAL M J and PINNEY S
Platinum salt, quantitative skin prick and bronchial provocation tests with, 830
Plywood factory worker, occupational asthma caused by exposure to neurospora, 279
Pneumoconiosis
  coal workers', exercise capacity, analysis using causal modelling: correspondence, 215
  presence of acute phase response, 193
  non-occupational, at high altitude, 825
  small irregular opacities, and cigarette smoking, 841
POH S C *see* CHEE C B E *et al*
Polyneuropathy, n-hexane, electrophysiological follow up, 12
Polyvinylchloride compounding workers, peak expiratory flow rate, diurnal variation, 275
POOLEY F D *see* GIBBS A R *et al*
Potroom workers, bronchial hyperreactivity, prognosis after stopping exposure, 653
PUJADAS J *see* MONSÓ E *et al*
PUKKALA E *see* SIMONATO L *et al*
Pulp mill, employment as possible risk factor for soft tissue sarcoma: correspondence, 288
Pyrethroid
  poisoning, occupational acute, cotton farmers, epidemiological study, 77
  in spraymen, levels of exposure and biological monitoring, 82

Q

Quartz exposure, extracellular matrix components in bronchoalveolar lavage fluid after, 776
Quartz in the lung, persistent biological reactivity and raised protease burden, 61
QUINTON D N *see* BREZINOVA V and QUINTON D N

R

RADO V *see* FINOTTO S *et al*
RAFFN E *see* VESTBO J *et al*
RAHMAN Q *see* FATMA N *et al*
RASMUSSEN F V, *see* VESTBO J *et al*
Raynaud's phenomenon, finger blood pressure and rewarming rate for screening and diagnosis, 480
REGO G F, ACHAERANDIO G O, CUERVO V G, MENÉNDEZ C R, GONZÁLEZ C M, and ALVAREZ C A: Presence of acute phase response in coal workers' pneumoconiosis, 193
REID G *see* MURRAY J *et al*
REIJULA K, PÄÄKKÖ P, KERTTULA R, TAIKINA-AHO O, TUUPONEN T, and HASSI J: Bronchiolitis in a patient with talcosis, 140
REMPEL D, JONES J, ATTERBURY M, and BALMES J: Respiratory effects of exposure of shipyard workers to epoxy paints, 783
Renal function, and biological effect monitoring of occupational exposure to 1, 3-dichloropropene, 167: correction, 288: correspondence, 646
Reproductive outcomes, adverse, among women microelectronic assembly workers, evidence: correspondence, 214
Respiratory
  cancer, and other causes, mortality, chromate production workers, United Kingdom, 299
  disease, occupational, UK 1989, SWORD report, 292
  effects, expoxy paint exposure, shipyard workers, 783
  health, and exposures, sintered permanent magnet manufacturer, 609
  and grain dust, milling workers, South Africa, 656
  ill health, wool textile workers, characteristics, 221
  problems, cotton textile mill workers, Ethiopia, 110
  symptoms, in children at schools near a foundry, 588
  development, factors related, coffee process workers, 314
RETIEF D H *see* CLEYMAET R *et al*
RIDDOR disease reporting system: editorial, 289
RIISE T *see* TODNEM K *et al*
RINCK P *see* TODNEM K *et al*
RINTAMÄKI H *see* VIROKANNAS H and RINTAMAKI H
RITCHIE A C, *see* KUSIAK R A *et al*
ROBINSON K *see* CHRISTIE D *et al*
ROELS H *see* STAESSEN J *et al*
ROELS H A, BOECKX M, CEULEMANS E, and LAUWERYS R R: Urinary excretion of mercury after occupational exposure to mercury vapour and influence of the chelating agent meso-2,3-dimercaptosuccinic acid (DMSA), 247
  LAUWERYS R R, BERNARD A M, BUCHET J P, VOS A, and OVERSTEYNS M: Assessment of the filtration reserve capacity of the kidney in workers exposed to cadmium, 365
RÖLLIN H B and KILROE-SMITH T A: The effect of exposure to aluminium on concentrations of essential metals in serum of foundry workers, 243
  THEODOROU P, and KILROE-SMITH T A: Deposition of aluminium in tissues of rabbits exposed to inhalation of low concentrations of Al_2O_3 dust, 389
ROMAN E, BERAL V, SANJOSE S, SCHILLING R, and WATSON A: Pernicious anaemia in the textile industry, 348
RONDIA D *see* STAESSEN J *et al*
ROSENBAUM A *see* FISCHBEIN A *et al*
ROSENFELD S *see* FISCHBEIN A *et al*
ROSS C E *see* TSAI S P *et al*
RUIJTEN M W M M, VERBERK M M, and SALLÉ H J A: Nerve function in workers with long term exposure to trichloroethene, 57
RUIZ J *see* MONSÓ E *et al*

S

SADHU H G, *see* SAIYED H N *et al*
SAGI A *see* DEHAAN A *et al*
SAINT REMY A *see* STAESSEN J *et al*
SAITO I, SHIBATA E, HUANG J, HISANAGA N, ONO Y, and TAKEUCHI Y: Determination of urinary 2,5-hexanedione concentration by an improved analytical method as an index of exposure to n-hexane, 568
SAIYED H N, SHARMA Y K, SADHU H G, NORBOO T, PATEL P D, PATEL T S, VENKAIAH K, and KASHYAP S K: Non-occupational pneumoconiosis at high altitude villages in central Ladakh, 825
SALLÉ H J A *see* RUIJTEN M W M M *et al*
SAMPAIO C *see* ECHEVERRIA D *et al*
SANDSTRÖM R, KOLMODIN-HEDMAN B, LEDIN M-C, BJERMER L, HÖRNQVIST-BYLUND S, and STJERNBERG N: Exposure to peat dust: acute effects on lung function and content of bronchoalveolar lavage fluid, 771
SANJOSE S *see* ROMAN E *et al*
SARACCI R *see* SIMONATO L *et al*
Sarcoma, soft tissue, pulp mill employment as possible risk factor: correspondence, 288
Sardinians with silicosis, mortality from lung cancer, 122
ŠARIĆ M and MARELJA J: Bronchial hyperactivity in potroom workers and prognosis after stopping exposure, 653
  see also DUJIĆ Ž *et al*
SARTOR F *see* STAESSEN J *et al*
SATO A, ENDOH K, KANEKO T, and JOHANSON G: A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours, 342
  Effects of consumption of ethanol on the biological monitoring of exposure to organic solvent vapours: a simulation study with trichloroethylene, 548
SCHEFFERS T *see* SWAEN G M H *et al*
SCHILLING CJ and SCHILLING JM: Chest x ray screening for lung cancer at three British chromates plants from 1955 to 1989, 476
SCHILLING JM *see* SCHILLING CJ and SCHILLING JM

SCHILLING R *see* FLETCHER C *et al*
ROMAN E *et al*
SCHILLING R S F: Occupational medicine for one and all, 445
SCHORK T *see* ECHEVERRIA D *et al*
SCHULTZE-WERNINGHAUS G, *see* MERGET R *et al*
"Scorpion fish" (*Trachinus vipera*) sting, fishermen's hazard, 718
SEATON A: Coalmining, emphysema, and compensation: correspondence reply, 71
Sedentary work in middle life, and proximal femur fracture: correspondence, 71
SEKI Y *see* SUGAWARA E *et al*
Selenium and mercury concentrations, interrelations in organs from dental staff/general population, 729
SELVIN S *see* YIMING Z *et al*
SHARMA Y K *see* SAIYED H N *et al*
Shell refinery employees, prospective morbidity surveillance, 155
SHEPPARD D *see* GORDON T *et al*
SHIBATA E *see* SAITO I *et al*
SHINADA M *see* MUTO H *et al*
Shipyard welders, potential cancer risk, 145
Shipyard workers, respiratory effects of expoxy paint exposure, 783
SHORE M *see* LASH A A *et al*
SHUZHENG Z *see* YIMING Z *et al*
Sick building syndrome, prevalence, environmental, occupational, and personal factors, 451
Silica exposure, silicosis, and lung cancer, gold miners, mortality study, South Africa, 53
Silicosis, among Sardinians, and mortality from lung cancer, 122
SIMONATO L, FLETCHER A C, ANDERSEN A, ANDERSON K, BECKER N, CHANG-CLAUDE J, FERRO G, GÉRIN M, GRAY C N, HANSEN K S, KALLIOMÄKI P-L, KURPPA K, LÄNGARD S, MERLÓ F, MOULIN J J, NEWHOUSE M L, PETO J, PUKKALA E, SJÖGREN B, WILD P, WINKELMANN R, and SARACCI R: A historical prospective study of European stainless steel, mild steel, and shipyard welders, 145
SINGAL M *see* DENG J-F *et al*
SINKS R *see* DENG J-F *et al*
Sintered permanent magnet manufacturer, characterisation of respiratory health and exposures, 609
Sister chromatid exchange, frequency, in asbestos cement workers, 103
SJÖGREN B *see* ELINDER C-G *et al*
LJUNGGREN K G *et al*
SIMONATO L *et al*
SJØL A *see* NETTERSTRØM B *et al*
SKEIDSVOLL H *see* TODNEM K *et al*
Skin prick test with platinum salts, and occupational asthma, 830
Slag wool fibres, potential exposure, and lung cancer, 818
SLANGEN J J M *see* SWAEN G M H *et al*
Slaughtermen, greenhouse workers, and fruitgrowers, variation in plasma cholinesterase activity, 164
SLIGHT J *see* BROWN G M *et al*
SLOP D *see* CLEYMAET R *et al*
SLUIS-CREMER G K *see* HNIZDO E AND SLUIS-CREMER G K
SMITH D *see* DENG J-F *et al*
SMITH P G *see* SWERDLOW A J *et al*
Smoking
adjusted mortality, due to asthma, and occupation, Sweden, 323
and allergic disease and exposure to humidifier contaminants, 30
exposure to crocidolite, and incidence of lung cancer and asbestosis, 412
SO Y *see* LASH A A *et al*
Solvent mixture exposure, paint workers, and liver function, 696
SOUTAR C A *see* LOVE R G *et al*
SPEAR R C *see* YIMING Z *et al*
Spermatogenesis, dose dependent effects of inhaled ethylene oxide, rats, 270
SPIRTAS R, STEWART P A, LEE J S, MARANO D E, FORBES C D, GRAUMAN D J, PETTIGREW H M, BLAIR A, HOOVER R N, and COHEN J L: Retrospective cohort mortality study of workers at an aircraft maintenance facility. I Epidemiological results, 515
see also STEWART P A *et al*
SPRINGER J, *see* KUSIAK R A *et al*
STAESSEN J, AMERY A, BERNARD A, BRUAUX P, BUCHET J-P, CLAEYS F, DE PLAEN P, DUCOFFRE G, FAGARD R, LAUWERYS R R, LIJNEN P, NICK L, SAINT REMY A, ROELS H, RONDIA D, SARTOR F, and THIJS L: Effects of exposure to cadmium on calcium metabolism: a population study, 710
see also LIJNEN P *et al*
STÅHLBOM B, LUNDH T, FLORÉN I, and ÅKESSON B: Visual disturbances in man as a result of experimental and occupational exposure to dimethylethylamine, 26
see also LUNDH T *et al*
Steel welders, potential cancer risk, 145
STEPHENS M *see* GIBBS A R *et al*
STEVENS A B *see* GAMBLE R P *et al*
STEWART P A, LEE J S, MARANO D E, SPIRTAS R, FORBES C D, and BLAIR A: Retrospective cohort mortality study of workers at an aircraft maintenance facility. II Exposures and their assessment, 531
see also SPIRTAS R *et al*
STJERNBERG N *see* SANDSTRÖM T *et al*
STOLLERY B T, BROADBENT D E, BANKS H A, and LEE W R: Short term prospective study of cognitive functioning in lead workers, 739
STRÖM M *see* AXMACHER B *et al*
Structured abstracts: notice to authors, 361
STURMANS F *see* SWAEN G M H *et al*
Styrene exposure, in plastics and composites industry, mortality and case-control study: correspondence, 575
SUGAWARA E, NAKAMURA K, MIYAKE T, FUKUMURA A, and SEKI Y: Lipid peroxidation and concentration of glutathione in erythrocytes from workers exposed to lead, 239
SUN J *see* CHEN S *et al*
ZHANG Z *et al*
SVIHUS R *see* TODNEM K *et al*
SWAEN G M H, SLANGEN J J M, VOLOVICS A, HAYES R B, SCHEFFERS T, and STURMANS F: Mortality of coke plant workers in the Netherlands, 130
SWERDLOW A J, DOUGLAS A J, HUTTLY S R A, and SMITH P G: Cancer of the testis, socioeconomic status, and occupation, 670
SWORD report on occupational respiratory disease, United Kingdom 1989, 292
SYMINGTON P, COGGON D and HOLGATE S: Respiratory symptoms in children at schools near a foundry, 588

T

TAGHON E *see* CLEYMAET R *et al*
TAIKINI-AHO O *see* REIJULA K *et al*
TAKEUCHI Y *see* SAITO I *et al*
TAKIZAWA Y *see* MUTO J *et al*
Talc, tremolite, and tergiversation: correspondence, 357
Talcosis, and bronchiolitis, 140
TAMMILEHTO L *see* TUOMI T *et al*
TAN K T *see* LEE H S *et al*
ONG C N *et al*
TANAKA I *see* MORI K *et al*
TANIGAWA T, ARAKI S, ARAKI T, and MINATO N: A decrease in Leu-11a negative lymphocytes in relation to natural killer cell activity in chromate workers, 211
TAWN E J *see* MARTIN F *et al*
TAYLOR A J N *see* HARRINGTON J M *et al*
TAYLOR V M *see* MEREDITH S K *et al*
TEE R D *see* FINNEGAN M J *et al*
Tergiversation, talc, and tremolite: correspondence, 357
Testicular cancer, socioeconomic status and occupation, 670

Tetrahydrofuran, occupational exposure, biological monitoring, 616
Textile industry, pernicious anaemia, 348
THEODOROU P *see* RÖLLIN H B *et al*
THERIAULT G *see* WOLDEYOHANNES M *et al*
THIJS L *see* STAESSEN J *et al*
Thioether and mercapturic acid, urinary excretion compared, 1,3-dichloropropene exposure, 492
THOMAS K E, TRIGG C J, BAXTER P J, TOPPING M, LACEY J, CROOK B, WHITEHEAD P, BENNETT J B, and DAVIES R J: Factors relating to the development of respiratory symptoms in coffee process workers, 314
Thorax, computed tomography, in workers exposed to hard metals, 208: correction, 648
TOCILJ T *see* DUJIĆ Ž *et al*
TODNEM K, NYLAND H, SKEIDSVOLL H, SVIHUS R, RINCK P, KAMBESTAD B K, RIISE T, and AARLI J A: Neurological long term consequences of deep diving, 258
TOKUTA K *see* MUTO H *et al*
Toluene diisocyanate induced asthma, CD8 positive lymphocytes and eosinophils, 116
Toluene and ethanol, acute behavioural comparisons, 750
TOMASINI M *see* COLOSIO C *et al*
TOPPING M *see* THOMAS K E *et al*
TORDOIR W F *see* VAN SITTERT N J *et al*
TORÉN K, HÖRTE L-G, and JÄRVHOLM B: Occupation and smoking adjusted mortality due to asthma among Swedish men, 323
TORNLING G *see* BEVING H *et al*
EKLUND A *et al*
TÖRNQVIST S, KNAVE B, AHLBOM A and PERSSON R: Incidence of leukaemia and brain tumours in some "electrical occupations", 597
Trachinus vipera sting, fishermen's hazard, 718
Tremolite, talc, and tergiversation: correspondence, 357
TRENT L S *see* WONG O *et al*
Trichloroethylene
inhaled, influence of ethanol consumption on pharmacokinetic behaviour, 548
nerve function in workers with long term exposure, 87
physiological factors affecting pharmacokinetic behaviour, simulation, 342
TRIGG C J *see* THOMAS K E *et al*
Triphenyltin acetate poisoning, occupational, case report, 136
TSAI S P, DOWD C M, COWLES S R, and ROSS C E: Prospective morbidity surveillance of Shell refinery and petrochemical employees, 155
TUOMI T, HUUSKONEN M S, TAMMILEHTO L, VANHALA E, and VIRTAMO M: Occupational exposure to asbestos as evaluated from work histories and analysis of lung tissues from patients with mesothelioma, 48
TURA J M *see* MONSÓ E *et al*
TUUPONEN T *see* REIJULA K *et al*

U

Unemployment, effect on health, 1
UPFAL M J and PINNEY S: Evidence for adverse reproductive outcomes among women microelectronic assembly workers: correspondence, 214
Uranium, occupational exposure, cytogenetic study, 98
Urinary excretion of mercury after occupational exposure to mercury vapour, and influence of DMSA, 247

V

VACEK PM and MCDONALD JC: Risk assessment using exposure intensity: an application to vermiculite mining, 543
VAN MARREWIJK C M *see* VAN WELIE R T H *et al*
VAN SITTERT N J, VEENSTRA G E, DUMAS E P and TORDOIR W F: Biological effect monitoring of occupational exposure to 1,3-dichloropropene: effects on liver and renal function and on glutathione conjugation: correspondence, 646
VAN THIEL D H *see* HODGSON M *et al*
VAN WELIE R T H, VAN MARREWIJK C M, DE WOLFF F A, and VERMEULEN N P E: Thioether excretion in urine of applicators exposed to 1,3-dichloropropene: a comparison with urinary mercapturic acid excretion, 492
see also BROUWER E J *et al*
VANHALA E *see* TUOMI T *et al*
VEENSTRA G E *see* VAN SITTERT N J *et al*
VENKAIAH K, *see* SAIYED H N *et al*
Ventilatory function after exposure to various respirable hazards in former coal miners, 38
VERBERK M M *see* RUIJTEN M W M M *et al*
VERMEULEN N P E *see* VAN WELIE R T H *et al*
Vermiculite mining, risk assessment using exposure intensity, 543
VERPLANKE A J W *see* BROUWER E J *et al*
VESTBO J, KNUDSEN D M, RAFFN E, KORSGAARD B, and RASMUSSEN F V: Exposure to cement dust at a Portland cement factory and the risk of cancer, 803
Vibration sense thresholds, used to assess occupational exposures to hand transmitted vibration, factors influencing, 185
VIROKANNAS H and RINTAMÄKI H: Finger blood pressure and rewarming rate for screening and diagnosis of Raynaud's phenomenon in workers exposed to vibration, 480
VIRTAMO M *see* TUOMI T *et al*
VISKUM S *see* GRANDJEAN P *et al*
Visual disturbances as result of experimental and occupational exposure to dimethylethylamine, 26
VOLOVICS A *see* SWAEN G M H *et al*
VOS A *see* ROELS H A *et al*

W

WAGNER J C: The discovery of the association between blue asbestos and mesotheliomas and the aftermath, 399
WALDRON T: Lead to unusual places, 398
WANG J-D *see* CHEN J-D *et al*
WANG Y T *see* CHEE C B E *et al*
LEE H S *et al*
WATKINS D K *see* CHIAZZE L *et al*
WATSON A *see* ROMAN E *et al*
WEBSTER I *see* MURRAY J *et al*
WEILL H *see* HUGHES J M and WEILL H
WEINER J *see* NYLANDER M and WEINER J
WEISS W: Cigarette smoking and small irregular opacities, 841
Welders
aluminium, evidence of aluminium accumulation, 735
cancer risk, Germany, 675
WHITEHEAD P *see* THOMAS K E *et al*
WICKHAM C *see* COOPER C *et al*
WILD P *see* SIMONATO L *et al*
WINKELMANN R *see* SIMONATO L *et al*
WINTER P *see* COGGON D *et al*
WOLDEYOHANNES M, BERGEVIN Y, MGENI A Y, and THERIAULT G: Respiratory problems among cotton textile mill workers in Ethiopia, 110
WONG O: A cohort mortality study and a case-control study of workers potentially exposed to styrene in the reinforced plastics and composites industry: correspondence reply, 575
FOLIART D, and TRENT L S: A case-control study of lung cancer in a cohort of workers potentially exposed to slag wool fibres, 818
Wool
dusts, injurious effects on alveolar epithelial cells and macrophages, 196
slag, fibres, potential exposure, and lung cancer, 818

textile workers, respiratory ill health, characteristics, 221
Work-related disease: editorial, 289
Wu Y *see* Chen S *et al*
Zhang Z *et al*

Y

Yang G-K *see* Lai Y-R *et al*
Yang S-Q *see* Lai Y-R *et al*
Yao P *see* Chen S *et al*
Yardley-Jones A, Anderson D, and Parke DV: The toxicity of benzene and its metabolism and molecular pathology in human risk assessment, 437
Yiming Z, Shuzheng Z, Selvin S, and Spear R C: A dose response relation for noise induced hypertension, 179

Z

Zachgo W *see* Merget R *et al*
Zhang Z, Sun J, Chen S, Wu F, and He F: Levels of exposure and biological monitoring of pyrethroids in spraymen, 82
see also Chen S *et al*
Zinc, protective role, in toxic action of coal dust on mouse macrophages, 838
Zinc-protoporphyrin, erythrocyte, in lead exposure, temporal and interindividual variation, 254